



NewLook International, Inc. SmartSeal AU <100voc™

Material Safety Data Sheet

NEWLOOK

Section 1

PRODUCT & COMPANY IDENTIFICATION

Product Name: SmartSeal AU <100voc, Gloss™
Manufacturer's Name: NewLook International, Inc.
Manufacturer's Address: 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104
Information Phone: NewLook International, Inc. 877.763.9566 or 801.886.9495
Emergency Contact: For Emergency information, contact Chemtel, Inc. at 800.255.3924, Outside the USA at 813.248.0585

Section 2

HAZARDOUS INGREDIENTS

CHEMICAL NAME	Ammonium Hydroxide*	Dipropylene Glycol n-Butyl Ether
CAS NUMBER	1336-21-6	29911-28-2
WEIGHT %	<0.5%	<2.0%
OSHA PEL	18 mg / m3 TLV / 25 PPM ACGIH	100 ppm
VAPOR (mm/hg)	0.0	0.04
PRESSURE @ TEMP	20°C	20°C

* This chemical is a hazardous substance as defined by CERCLA 40 CFR PART 302-4

Section 3

PHYSICAL DATA

Boiling Range: >200°F
Evaporation Rate: Slower than Ether
Vapor Density: Lighter than Air
% Volatile Volume: 76.28 Wt/Gal: 8.57
VOC: UNDER 100 G/L

Section 4

FIRE & EXPLOSION HAZARD DATA

Flammability Classification:

Flash Point: >200°F
Lower Explosive Limit: 0.6
Extinguishing Media: Alcohol Foam, CO₂, Dry Chemical, Water Fog

Unusual Fire and Explosion Hazards:

Closed containers may burst if exposed to extreme heat or fire.

Special Firefighting Procedures:

Water may be used to cool and protect exposed containers.

Section 5

HEALTH & HAZARD DATA

Effects of Overexposure:

Inhalation: Light-headedness, dizziness, symptoms similar to alcohol inebriation. High concentrations can have narcotic effect.

Eye Contact: Severe eye irritation and dermatitis.

Skin Contact: Can dry and deft skin, causing cracks, irritation, and dermatitis.

Ingestion: Can cause gastrointestinal irritation, vomiting, nausea, and diarrhea.

©2012 NewLook International, Inc. All Rights Reserved

□ **HYPERLINK "http://www.getnewlook.com"** □ www.getNewLook.com □ 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104 □ 877.763.9566 □ Office: 801.886.9495 □ Fax: 801.886.9497

Medical Conditions Proven to Aggravate by Exposure:

Asthma, bronchitis, dermatitis.

Primary Routes of Entry: Dermal, Inhalation, Ingestion

Emergency and First Aid Procedure:

Inhalation Over-exposure: Move person to fresh air. If breathing stops, apply artificial respirator and seek immediate medical attention.

Eye Contact: Flush with large quantities of water for 15 minutes and get immediate medical attention.

Skin Contact: Wash thoroughly with soap and water.

Ingestion: For ingestion, if conscious, give plenty of water to drink, induce vomiting.

Section 6

REACTIVITY DATA

Stability:	Stable
Hazardous Polymerization:	Will Not Occur.
Hazardous Decomposition Products:	Carbon Monoxide, Carbon Dioxide.
Conditions to Avoid:	Elevated temperatures, contact with Oxidizing agent.
Incompatibility (Materials to Avoid):	Oxidizing agents.

Section 7

SPILL OR LEAK PROCEDURES

Steps to be taken if material is released or spilled:	Absorb with Absorbent Sweeping Compound and Dispose.
Waste Disposal Method:	Dispose in accordance with Federal, State, and Local Environmental Regulations.

Section 8

SAFE HANDLING AND USE INFORMATION

Respiratory Protection:	Not required under normal use. When spraying use NIOSH approved respirator.
Ventilation:	Use ventilation as required to control vapor concentrations.
Protective Gloves:	Chemical resistant rubber or plastic.
Eye Protection:	Safety shield, goggles, or glasses
Other Protective Equipment:	Not required under normal use.
Hygienic Practices:	Wear protective gloves and glasses. Wash hands thoroughly after use.

Section 9

PRECAUTIONS

- Precautions to be taken in handling and storing:**
Store indoors in a cool, dry place. Avoid moisture contamination.
- Other Precautions:**
- Wash hands thoroughly after use and before eating or smoking.
 - Avoid prolonged breathing of vapors.
 - Use with adequate ventilation.
 - Avoid contact with skin and clothing.
 - If contact occurs, wash affected areas thoroughly with soap and water.